
LUNARIA

LIGHTING LONDON

Crystal-Effect Cylinder Art Deco Wall Light

FITTING & CARE GUIDE / V2




lunarialight.com

hello@lunarialight.com

01 / YOUR LIGHT AT A GLANCE

Crystal-Effect Cylinder Art Deco Wall Light

This wall light has a faceted crystal-effect acrylic cylinder on a metal body. The shade's surface catches the light, while the visible finish and round shade option should be checked against the order before fitting begins.



SHADE OPTION
Round 14 cm

FINISHES
Satin Gold or Matte Black

SHADE MATERIAL
Crystal-effect acrylic

BODY
Metal wall fitting

BULB TYPE
Replaceable E27 bulb

Match the finish and Round 14 cm shade option. For a pair, check both cylinders and metal finishes together before the wall positions are marked.

Faceted cylinder

The acrylic shade creates the crystal-like appearance. Handle it gently and keep its faceted edges clear of tools and rough surfaces.

Metal arm

The short metal arm carries the shade away from the wall. Support the fitting without bending or twisting this connection.

Wall backplate


The visible metal plate sits against the wall and completes the finish. Its outline does not reveal the concealed fixing positions.

Allow space around the cylinder

Measure the delivered fitting's full width, height and projection from the wall. Check its position against door swings, mirror edges and the route through the room. For a pair, agree a common reference line with the installer and check the view from both the entrance and the usual seated position.


CRYSTAL-EFFECT CYLINDER ART DECO WALL LIGHT

Prepare & fit




Before fitting

Switch off the lighting circuit at the consumer unit and verify it is dead. Electrical connections and testing must be completed by a competent installer. Keep the light supported until it is securely fixed.



01 Check the position



02 Support the body



03 Check before use

Inspect the acrylic edges

Check the cylinder in daylight for chipped edges, cracks or deep scratches. Place it on a soft cloth while unpacking, and report damage before the fitting is mounted.

Check the bulb before lifting

Check the E27 lampholder marking and choose a bulb within its stated limits. Confirm the bulb's physical fit inside the cylinder without forcing it against the acrylic shade.

1 Set the centre line

Agree the finished position using the actual fitting's outline. On a pair, check both shade heights and their distances from the mirror or furniture before the installer commits to the fixing locations.

2 Check the wall support

Assess the wall material and select suitable fixings for the delivered fitting. Keep the acrylic cylinder protected on a padded surface while the supplied wall attachment is identified and prepared.

3 Keep pressure off the shade

During fitting, support the metal body and the shade as needed without twisting the cylinder. Do not use the acrylic as a handle while the installer positions the wall body.

4 Check bulb and shade clearance


Before use, check that the selected bulb and shade sit without contact or strain. View the cylinder for tilt or new damage from several angles without loosening any decorative fittings.

CRYSTAL-EFFECT CYLINDER ART DECO WALL LIGHT

Use & look after

Use the correct replacement bulb

The fitting takes an E27 replacement bulb. Match the actual lampholder limits and the available space inside the shade, rather than buying by appearance alone. Switch off and allow the bulb to cool before maintenance; have the installer demonstrate the access route without forcing or twisting the cylinder.



Clean acrylic without solvents

Use a soft, dry microfibre cloth on the cool shade. Avoid alcohol, solvents, abrasive pads and glass-polishing products, which may damage acrylic.



Protect the metal finish

Dust the arm and backplate gently with a dry cloth. Avoid metal polish and do not use the shade for support while cleaning.

If something needs attention

The bulb will not fit comfortably	Stop before forcing it into the shade. Check the E27 marking and bulb dimensions with the installer; a matching base does not guarantee physical clearance.
The cylinder looks loose or tilted	Leave the light off and photograph the position. Have the installer inspect the shade support; do not tighten visible decorative parts by guesswork.
The surface looks cloudy	Check for dust with a dry microfibre cloth once the light is cool. If clouding remains, stop cleaning and ask LUNARIA before applying any product.

BEFORE SWITCHING ON

- ✓ Fitting secure
- ✓ Fragile parts stable
- ✓ No trapped cable
- ✓ Electrical checks complete