
LUNARIA

LIGHTING LONDON

Dalen Round LED Ceiling Light

FITTING & CARE GUIDE / V2




lunarialight.com

hello@lunarialight.com

01 / YOUR LIGHT AT A GLANCE

Dalen Round LED Ceiling Light

Dalen Round has two overlapping curved rings around a central illuminated disc. The light source is built into the fitting, and the 27 cm round version has its own form and handling needs when it is lifted towards the ceiling.



OVERALL SPAN
27 cm

SHAPE
Two overlapping round rings

CENTRE
Illuminated disc

FINISHES
Black or White

LIGHT SOURCE
Integrated LED

Check the 27 cm round form and selected finish. Keep its parts with the round fitting if other Dalen models are being installed nearby.

Central body

The middle body carries the round central light face; support this area when lifting rather than pulling on the rings.

Overlapping rings

Two curved loops form the outer outline, with bright edges visible around the centre; avoid loading or twisting these elements.

Light faces


The pale central face and ring edges spread the integrated light; protect them from scratches, fingerprints and contact with tools.

Check the rings around the ceiling point

Mark the centre and compare the full 27 cm span with cornices, beams and opening cupboard doors. View the overlapping ring outline from the main approach to the room before agreeing its orientation. Check the actual assembled depth on the received fitting when assessing overhead clearance, including any nearby moving object.


DALEN ROUND LED CEILING LIGHT

Prepare & fit




Before fitting

Switch off the lighting circuit at the consumer unit and verify it is dead. Electrical connections and testing must be completed by a competent installer. Keep the light supported until it is securely fixed.



01 Check the position



02 Support the body



03 Check before use

Inspect the light faces

Set the light on clean padding and inspect the central face and both rings for cracks, dents or loose sections. Keep loose screws away from the pale surfaces to prevent scratches.

Plan a central grip

Identify a stable supporting grip around the central body before lifting. Arrange a second person if needed to keep the body supported without using the outer rings as carrying handles.

1 Agree the ring orientation

Hold a paper outline at the intended ceiling centre to compare its appearance with the room. Agree the orientation before marking the actual mounting points from the received fitting's components.

2 Check the ceiling support

Assess the ceiling support and actual mounting components while the light remains supported. Keep the complete round fitting and its own components together throughout the preparation and installation work.

3 Raise the centre evenly

Support the central body as the light is raised, keeping both rings clear of the wall and tools. Do not twist a ring to make room or use it to hold the fitting overhead.

4 Inspect the assembled shape


Before switching on, check that the outer loops remain evenly shaped and clear of nearby surfaces. Report a displaced light face or loose ring before use; do not press it back into position.

DALEN ROUND LED CEILING LIGHT

Use & look after

Built-in LED light

Dalen Round has an integrated LED source, so it does not need a separate bulb fitted into a holder. Have the installer demonstrate the controls provided with the received light. Keep this information with the guide. If a ring or the centre develops a fault, do not remove the light faces to reach the source.



Wipe the light faces

After switching off and allowing the fitting to cool, use a soft, dry cloth on the centre and ring edges with minimal pressure.



Keep the rings supported

Dust around the loops without pulling them down or sideways. Do not hang decorations from the rings or use them to steady a ladder.

If something needs attention

One ring or the centre is dark	Switch off and note which area is affected. Contact LUNARIA or the installer; do not prise off a light face to look for a bulb.
The light colour is unexpected	Check the operating instructions supplied with the actual light and the control demonstration. Avoid repeated rapid switching to guess a colour-selection or reset sequence.
A ring appears loose or distorted	Leave the fitting off and have the installer inspect it. Do not bend the loop, twist its joint or add an improvised support.

BEFORE SWITCHING ON

- ✓ Fitting secure
- ✓ Fragile parts stable
- ✓ No trapped cable
- ✓ Electrical checks complete