
LUNARIA

LIGHTING LONDON

Halston Linen & Bronze Wall Light

FITTING & CARE GUIDE / V2




lunarialight.com

hello@lunarialight.com

01 / YOUR LIGHT AT A GLANCE

Halston Linen & Bronze Wall Light

Halston pairs a shaped fabric shade with a bronze-tone metal band and wall body. The shade's fabric is part of its visible finish, so clean hands, dry storage and gentle handling help keep it free from marks and creases.



FORM
Bow-tie fabric wall light

SHADE
Textured fabric

METAL APPEARANCE
Bronze tone

LIGHT SOURCE
Replaceable G9 bulb type

Check the complete shade, metal finish and wall body before fitting. For a pair, compare their outlines on a clean surface without compressing the fabric.

Shaped fabric shade

The flared fabric sections create the bow-tie outline. Keep them dry and avoid gripping, stretching or pressing the fabric during handling.

Central metal band

The bronze-tone band runs around the shade's narrow centre. Protect its finish and do not twist it to investigate the shade attachment.

Wall body and arm


The metal wall body and short arm carry the shade away from the wall. Handle these without bending the arm.

Measure the shade's real projection

Measure from the wall-facing surface to the outermost point of the delivered shade; the diameter of the wall plate is a different measurement. Check the shade against door swings, curtains and bedside furniture. For a pair, compare the full fabric outlines at the planned height before the installer marks the wall.


HALSTON LINEN & BRONZE WALL LIGHT

Prepare & fit




Before fitting

Switch off the lighting circuit at the consumer unit and verify it is dead. Electrical connections and testing must be completed by a competent installer. Keep the light supported until it is securely fixed.



01 Check the position



02 Support the body



03 Check before use

Keep the fabric clean and dry

Wash and dry your hands before unpacking, then place the fitting on a clean, soft surface. Keep the fabric clear of pencils, loose screws, drinks and damp cleaning cloths.

Inspect the shade outline

Look for tears, creases, staining or a distorted frame before fitting. Compare paired shades in daylight; report damage before the installer mounts the wall body or handles the light source.

1 Confirm the wall position

Use the delivered shade's complete width and projection to agree the position. Check nearby furniture and moving curtains, then have the installer assess the wall support and mark suitable fixing locations.

2 Identify bulb access first

While the fitting is accessible, identify the G9 holder marking and the safe bulb-access route. Keep the fabric supported without removing or twisting an unidentified shade attachment.

3 Handle the metal structure

Support the fitting by its metal structure during positioning, keeping the fabric away from tools and fixings. Avoid pressing the shade towards the bulbs while the installer secures the wall body.

4 Check the fabric around the light


Before use, ask the installer to check the bulbs and shade for contact or strain. View the fabric outline from both sides and report any sagging, new crease or loose section.

HALSTON LINEN & BRONZE WALL LIGHT

Use & look after

Use the marked G9 bulb specification

Halston uses replaceable G9 bulbs. Keep the actual holder and bulb specifications with this guide so replacements match their limits and fit the available space. Switch off and allow the light to cool before maintenance. Use the access demonstrated by the installer without stretching the fabric or disturbing the central band.



Brush the fabric lightly

Use a clean, soft, dry brush to lift dust from the cool shade. Avoid water, steam, detergent and rubbing that could mark or crease the fabric.



Dust the bronze-tone metal

Wipe the band and wall body with a soft, dry cloth. Keep metal polish and cleaning sprays away from the fabric and bulb openings.

If something needs attention

The shade appears creased or uneven	Photograph its outline and contact LUNARIA. Do not steam, wet, stretch or press the fabric back into shape while it remains on the fitting.
A bulb is difficult to access	Leave the light off and let it cool. Ask the installer to demonstrate access; do not pull the fabric aside to reach the holder.
Fabric touches a bulb or looks scorched	Stop using the light and contact the installer or LUNARIA. Keep it off until the bulb fit and shade support have been assessed.

BEFORE SWITCHING ON

- ✓ Fitting secure
- ✓ Fragile parts stable
- ✓ No trapped cable
- ✓ Electrical checks complete