
LUNARIA

LIGHTING LONDON

Maelen Textured Dome Pendant Light

FITTING & CARE GUIDE / V2




lunarialight.com

hello@lunarialight.com

01 / YOUR LIGHT AT A GLANCE

Maelen Textured Dome Pendant Light

Maelen combines a white textured dome with an irregular lower edge. Four shade sizes share this rounded form, so choosing the correct diameter and measuring the finished hanging position are important before the ceiling work begins.



SHADE SIZES
30, 40, 50 or 60 cm

FINISH
Textured white

SHAPE
Rounded dome

LOWER EDGE
Irregular outline

Check the size on your order and measure the received shade. Keep its own suspension components and any loose parts together.

Textured dome

The broad rounded body carries the white textured finish; support its surface over a wide area whenever moving the shade.

Lower opening

The open underside follows an uneven rim, giving the dome its outline and allowing light to leave beneath the shade.

Upper lines


Slender lines rise above the top of the dome; protect these and their top attachment from pulling, tangling or crushing.

Measure the dome, then the drop

Place a paper outline of your chosen diameter over the table or furniture below. Check it from seated and standing positions, allowing for the irregular edge. Decide where the bottom of the shade should sit, then compare the actual suspension and ceiling position with that complete measurement before installation begins.


MAELEN TEXTURED DOME PENDANT LIGHT

Prepare & fit




Before fitting

Switch off the lighting circuit at the consumer unit and verify it is dead. Electrical connections and testing must be completed by a competent installer. Keep the light supported until it is securely fixed.



01 Check the position



02 Support the body



03 Check before use

Make space for your size

Prepare a clean, padded area larger than the shade. Lift away the packaging rather than dragging the textured surface across it, and inspect the rim carefully for cracks or impact marks.

Keep the light source separate

Before selecting a bulb, check the actual holder and fitting markings. Confirm the permitted source, physical size and rating together, with enough space to avoid contact with the shade.

1 Confirm the chosen position

Mark the desired shade centre in relation to the furniture below. Check the full dome width and the lowest point of its rim against doors, cupboards and the route through the room.

2 Arrange support before lifting

Agree how the shade will be supported while the installer works at the ceiling. For a larger dome, arrange a second person so one person is not balancing the shade while handling tools.

3 Protect the upper attachment

Move the dome and upper lines together without pulling them apart or using the rim as a handle. Keep the lines visible and untangled while the actual suspension components are prepared.

4 Inspect the finished outline


Before the work is signed off, view the dome from several sides. Confirm the intended hanging height and stable suspension, and report any leaning attachment or newly damaged surface before use.

MAELEN TEXTURED DOME PENDANT LIGHT

Use & look after

Keep a record of the fitted source

Once a compatible light source has been fitted, keep its specification with this guide for future replacement. Let the light cool before inspecting the opening or cleaning the shade. When the source needs attention, use the access method established for your actual fitting; avoid twisting the dome or pulling the upper lines.



Dust the texture lightly

Use a soft, dry brush on the cool shade, working gently over the textured surface. Avoid hard brushing that could mark raised areas.



Protect the pale finish

Keep abrasive pads, solvents and spray cleaners away from the shade. Handle it with clean, dry hands and support the body while cleaning near the rim.

If something needs attention

The rim is not perfectly even	Compare the overall irregular outline with the intended design. A fresh crack, loose fragment or sharp impact mark needs checking before the pendant is used.
The shade swings or leans unexpectedly	Keep the light off and ask the installer to check the suspension. Do not correct the lean by pulling individual upper lines or bending the attachment.
A dark mark will not brush away	Stop before using stronger cleaners. Photograph the mark in daylight and contact LUNARIA, keeping the textured surface dry and free from abrasive treatment.

BEFORE SWITCHING ON

- ✓ Fitting secure
- ✓ Fragile parts stable
- ✓ No trapped cable
- ✓ Electrical checks complete