
LUNARIA

LIGHTING LONDON

Nordic Sputnik 6-Light Ceiling Light

FITTING & CARE GUIDE / V2




lunarialight.com

hello@lunarialight.com

01 / YOUR LIGHT AT A GLANCE

Nordic Sputnik 6-Light Ceiling Light

The Sputnik ceiling light has six lamp positions carried on radiating metal arms. The exposed bulbs form part of its overall outline, so plan the finished spread with the bulbs in mind and support the central body during handling.



LAMP POSITIONS
Six

BULB FITTING
Six E27 bulbs, not included

FORM
Radiating metal-arm ceiling light

FINISH
Black & Gold

This guide covers the six-light Black & Gold version. Check six lamp positions on the delivered fitting before arranging the installation.

Central body

The centre brings the radiating arms together beneath the ceiling. Support this main body when lifting the fitting.

Six metal arms

The arms carry the lamp positions across a broad area. Keep them clear of furniture and avoid bending or forced rotation.

Exposed lamp positions


Each end carries an E27 bulb position. The chosen bulbs add to the fitting's visible size and overall appearance.

Allow for the complete arm spread

Measure across the outermost lamp positions and include the bulbs when checking the space. Check doors, tall furniture and nearby light fittings against the finished outline. Over a table, compare the centre with the furniture position as well as the ceiling point. Confirm suitable ceiling support before choosing the final location.


NORDIC SPUTNIK 6-LIGHT CEILING LIGHT

Prepare & fit




Before fitting

Switch off the lighting circuit at the consumer unit and verify it is dead. Electrical connections and testing must be completed by a competent installer. Keep the light supported until it is securely fixed.



01 Check the position



02 Support the body



03 Check before use

Inspect all six arms

Lay the supported fitting where every arm can be seen. Check for bends, damaged finishes and visibly loose parts, without turning joints or attempting to correct their angle by force.

Prepare a matching bulb set

Choose six E27 bulbs within the limits on the fitting label. Using the same bulb model helps keep the appearance consistent; compare the bulb dimensions with the available room around each position.

1 Create space around the body

Clear a work area wider than the light's finished spread. Keep the arms away from walls, ladder rails and other objects while checking the supplied components against the delivered fitting instructions.

2 Check the ceiling support

Assess the actual fitting and ceiling construction before selecting fixings, including a check for concealed services. The six arms create a broad shape; the exterior diagram does not identify concealed mounting points.

3 Handle from the centre

Lift by supporting the main central body rather than one arm or a lampholder. Keep the arms clear during positioning, and let the installer manage any assembly required by the delivered parts.

4 Inspect the finished spread


Before use, check that all six lamp positions are clear of surrounding objects and that no bulb presses against another part. Ask the installer to inspect any drooping arm or unstable joint.

NORDIC SPUTNIK 6-LIGHT CEILING LIGHT

Use & look after

Six bulbs, one consistent appearance

Each of the six positions takes an E27 bulb. A matched set keeps the light colour and visible bulb shape consistent. Record the bulb model for future replacement and follow the fitting's lamp limits. If you want dimming, have the installer confirm compatibility of the actual fitting, bulbs and wall control before changing any equipment.



Dust the metal arms

With the light off and cool, wipe each arm lightly with a dry cloth. Support the area being cleaned without changing the joint position.



Clean the exposed bulbs

Allow bulbs to cool completely before dusting them with a dry cloth. Avoid pushing sideways on the glass or using the arms for support.

If something needs attention

One lamp position is dark	Note which position is affected. With the circuit isolated and the bulb cool, check an accessible bulb; ask the installer to investigate a repeated failure.
An arm appears out of line	Do not bend or force it into place. Stop using the fitting if a joint looks loose and ask the installer to inspect it.
The six bulbs look different	Compare the bulb model and light-colour markings while they are cool. A mixed bulb set can create uneven colour; match replacements to the fitting label.

BEFORE SWITCHING ON

- ✓ Fitting secure
- ✓ Fragile parts stable
- ✓ No trapped cable
- ✓ Electrical checks complete