
LUNARIA

LIGHTING LONDON

Riven LED Reading Wall Light

FITTING & CARE GUIDE / V2




lunarialight.com

hello@lunarialight.com

01 / YOUR LIGHT AT A GLANCE

Riven LED Reading Wall Light

Riven combines a long vertical light bar with a separate reading spotlight on a rectangular base. Two rocker switches are visible on the base. Left and Right versions place the parts differently, so check the selected layout before marking a bedside position.



LIGHT SOURCE
Integrated LED

VISIBLE CONTROLS
Two rocker switches

LAYOUT
Left or Right

LIGHT OPTIONS
Warm White; Natural White also offered for Right

Left is offered in Warm White. Right is offered in Warm or Natural White. Match the layout to the order image before fitting a single light or pair.

Vertical light bar

The long narrow bar forms the main vertical element. Protect it from bending and keep it clear of bedding and furniture.

Reading spotlight

The smaller cylindrical head provides the reading-light element. Handle the main body without pulling the head or forcing its movement.

Base and two switches


The rectangular base carries two visible rocker switches. Check comfortable reach from the bed before the wall position is fixed.

Plan from your reading position

Sit in the intended reading position and check where the switches would be easy to reach. Allow room for the long bar beside the headboard and keep it clear of cushions and bedding. Compare the chosen Left or Right layout with the order image, then confirm suitable wall support and the existing cable point.


RIVEN LED READING WALL LIGHT

Prepare & fit




Before fitting

Switch off the lighting circuit at the consumer unit and verify it is dead. Electrical connections and testing must be completed by a competent installer. Keep the light supported until it is securely fixed.



01 Check the position



02 Support the body



03 Check before use

Match the complete version

Check Left or Right and the ordered light colour before installation. For a mirrored pair, compare both order images and the actual lights together; keep each light's parts with its version.

Inspect the long elements

Check the bar, spotlight and base for visible damage over a padded surface. Do not use the long bar as a handle or test the spotlight by turning it against resistance.

1 Check reach before marking

Confirm the base position from the actual seated reading height. Check that the bar and spotlight clear the headboard and that reaching the switches will not require pressing against the light.

2 Assess the wall and parts

Identify the supplied mounting arrangement from the delivered parts and instructions, then inspect wall support and concealed services. Do not remove a visible side screw without confirming its function.

3 Support the base

Hold the main base when moving the fitting into position, keeping the bar and reading head clear of obstacles. Do not rotate the body to turn one handed version into the other.

4 Demonstrate the actual controls


After installation and electrical checks, ask the installer to demonstrate both rocker switches and any intended spotlight movement. Keep a note of the functions without assuming which switch operates which light.

RIVEN LED READING WALL LIGHT

Use & look after

Two visible switches, one ordered light colour

Use the rocker switches as demonstrated on the delivered fitting. Warm White and Natural White are separate ordered versions where offered, not a colour-change instruction. The light source is integrated LED. Move the reading head only within its demonstrated intended movement, without forcing a stop or turning the long bar.



Dust the bar without bending it

Switch off and let the light cool, then wipe with a soft, dry cloth. Avoid pulling along the bar or leaning against its ends.



Keep controls dry

Dust the spotlight and switch surfaces gently. Do not spray cleaner into switch gaps or openings, and avoid metal polish on the gold-coloured details.

If something needs attention

Only one light element comes on	Check both rocker positions as demonstrated at handover. If an element still fails, switch off and contact support without opening the base or reading head.
The spotlight resists movement	Stop moving it and ask for guidance on the delivered version. Do not force the head, continue turning through resistance or twist the long bar.
The pair has different light colours	Compare the order and delivered version labels. Right has two colour options, while Left is Warm White; do not seek a hidden colour-selection control.

BEFORE SWITCHING ON

- ✓ Fitting secure
- ✓ Fragile parts stable
- ✓ No trapped cable
- ✓ Electrical checks complete